

PRODUCT SPECIFICATIONS RG-59 Siamese CCTV CABLE

COMPLIANCE & CERTIFICATIONS				
RoHS Compliant	UL Listed	cUL Listed	CL2 Rated	
PHYSICAL SPECIFICATIONS				
Construction	RG-59	POWER WIRE		
Conductor Material / Size	SBC / 20 AWG	SBC / 18 AWG (x2)		
Insulation Color Code		Black, Red		
Insulation Material Type	Foam PE	PVC		
Insulation Diameter	3.66 mm	-		
Braid Shield Material / Coverage	CCA / 90%	-		
Jacket Color	Varies by Item #	Varies by Item #		
Jacket Material / Flame Rate	FRPVC / CMR	FRPVC / CMR		
Jacket Diameter / Thickness	6.1 mm / 0.85 mm	4.4 mm / 0.50 mm		
Cabling Lay Length	-	60		
TOTAL CABLE WEIGHT (lbs / 1000 ft)	PART NUMBER	PACKAGING	LENGTH	COLOR
24.3	BCS59-03544	Reel in Box	500 ft.	Black
	BCS59-03545	Reel in Box	500 ft.	White
ELECTRICAL CHARACTERISTICS				
Impedance	75 Ω			
Nom. Vel. of Propagation	82%			
Nominal Capacitance	55 pF/m			
SRL (5-1000 MHz)	≥ 20 dB			
NOMINAL TRANSMISSION CHARACTERISTICS				
FREQ. (MHz)	ATT. MAX (dB/100 m)			
1	0.30			
10	0.86			
50	1.91			
100	2.78			
200	4.06			
400	6.01			
700	8.47			
900	9.82			
1000	10.47			
CABLE MARKING				
VERICOM RG59 SIAMESE CABLE 20AWG + 18AWG / 2C 75C 00/00 (UL) OR C(UL) E346149 -T CMR 75C ROHS 000FT USED / 500 FT REMAINING				

