




HDMI is a trademark of HDMI Licensing LLC. in the U.S. and other countries.

Vericom High Speed HDMI Cable With Ethernet



Features & Benefits

- HDMI Male A to Male A Cable
- Built-In Ethernet Channel for compatible devices
- Supports high definition 1080p, Adobe RGB Color, Deep Color, 3D, 4K, sYCC601 Color and Adobe YCC601 to accurately display natural vivid colors
- Supports Dolby Digital, DTS, Dolby True HD, DTS-HD Master Audio, Audio Return Channel (ARC) and Lip Sync to deliver the highest quality and duplication of sound
- Compatible with the lossless compressed digital audio formats
- Corrosion resistant nickel plated connectors and gold plated contacts
- Packaging: Polybag

Standards Compliance

- HDMI® High Speed with Ethernet
- Full HD 1080p
- 3D & 4K compatibility
- RoHS Compliant

Applications

The Vericom High Speed HDMI Cable with Ethernet provides a reliable, high quality connection between audio and video components such as Blu-ray players, cable and satellite set-top boxes, DVD players, A/V receivers, gaming consoles and much more.

Description / Specifications

Featuring a durable molded PVC housing, gold plated contacts and corrosion resistant nickel plated connectors with V3 shielding, this HDMI Cable consistently delivers excellent picture and sound quality for today's discriminating A/V enthusiasts.

Ordering Information

Item No.	Description
XHD05-11521	Vericom High Speed HDMI Cable With Ethernet
Cable Length	Cable Marking
1.5 Meter	VERICOM HIGH SPEED HDMI CABLE WITH ETHERNET

Construction

Conductor AWG / Material: 30 AWG / Copper Clad Steel

Bandwidth Capability: 18 Gbps

Shielding Level / Type: Triple / Aluminum Mylar

Ethernet Channel: Yes

Connector Finish: Nickel Plated

Connector Contacts: Gold Plated

Connector Head Size(Incl. Strain Relief): 36.42 x 20.54 x 11.27 mm

Connector Housing Material: Molded Polyvinyl Chloride (PVC)

Connector Housing Color: Black

Jacket Material / Color: Polyvinyl Chloride (PVC) / Black

Jacket Diameter: 6 mm

Dust Cap: Yes