

✓ERICOM®




PET CONTAINMENT WIRE

Your Solution For Pet Containment Wiring.



Invisible Fence® Approved

Be confident in the quality of our pet containment wire as it is approved for use in Invisible Fence® Brand systems.



Footage Markers

Determine what is used and what is remaining on the spool with easy-to-read footage markers on all of our perimeter wire.

Heavy Duty Reel And Jacket Design

Reels compatible with common trenchers and fitted with jackets suited for direct burial in the harshest of outdoor environments.

RoHS Compliant

Rest easy knowing our pet containment wire is environmentally friendly and follows the guidelines listed by the European Union under the Restriction of Hazardous Substances Directive (RoHS).

Quick Shipment & Delivery

Enjoy same day shipping on most orders you place with us before 2PM EST and receive them within 3 business days. (U.S. only)



Free Freight

All orders over \$2,500 qualify for free freight (U.S. only)

24/7 Online Ordering



Order anytime from your PC, smartphone or tablet.
if.vericomsolutions.com

Perimeter Wire

IF141-04489



CABLE TYPE

Pet Containment Wire

PACKAGING

Plastic Reel

COMPLIANCE



SPECIFICATIONS

| | |
|------------------|-------------------------------|
| Wire Gauge | 14 AWG |
| Conductor | Solid Bare Copper |
| # of Conductors | 1 |
| Jacket Material | LDPE |
| Jacket Color | Black |
| Jacket Thickness | 0.045 in. |
| Reel Size | 12 in. (dia.) x 11.25 in. (H) |
| Available Length | 1,500 ft. |



IF141-04490



CABLE TYPE

Pet Containment Wire

PACKAGING

Plastic Reel

COMPLIANCE



SPECIFICATIONS

| | |
|------------------|-------------------------------|
| Wire Gauge | 14 AWG |
| Conductor | Stranded Bare Copper |
| # of Conductors | 1 |
| Jacket Material | LDPE |
| Jacket Color | Black |
| Jacket Thickness | 0.045 in. |
| Reel Size | 12 in. (dia.) x 11.25 in. (H) |
| Available Length | 1,500 ft. |



IF161-04471

Also Available In White (IF161-05281)



CABLE TYPE

Pet Containment Wire

PACKAGING

Plastic Reel

COMPLIANCE



SPECIFICATIONS

| | |
|------------------|-------------------------------|
| Wire Gauge | 16 AWG |
| Conductor | Solid Bare Copper |
| # of Conductors | 1 |
| Jacket Material | LDPE |
| Jacket Color | Black or White |
| Jacket Thickness | 0.045 in. |
| Reel Size | 12 in. (dia.) x 8.375 in. (H) |
| Available Length | 1,500 ft. |



IF161-04470

Also Available In White (IF161-05280)



CABLE TYPE

Pet Containment Wire

PACKAGING

Plastic Reel




COMPLIANCE









SPECIFICATIONS




| | |
|------------------|-------------------------------|
| Wire Gauge | 16 AWG |
| Conductor | Stranded Bare Copper |
| # of Conductors | 1 |
| Jacket Material | LDPE |
| Jacket Color | Black or White |
| Jacket Thickness | 0.045 in. |
| Reel Size | 12 in. (dia.) x 8.375 in. (H) |
| Available Length | 1,500 ft. |






| IF161-03662 | | Also Available In White (IF161-05279) | |
|---|--|--|--|
|  | CABLE TYPE Pet Containment Wire | SPECIFICATIONS Wire Gauge 16 AWG Conductor Solid Bare Copper # of Conductors 1 Jacket Material LDPE Jacket Color Black or White Jacket Thickness 0.045 in. Reel Size 10.5 in. (dia.) x 6 in. (H) Available Length 1,000 ft. | |
| | PACKAGING Plastic Reel | | |
| | COMPLIANCE  | | |
| | | | |
| | | | |
| | |  | |




| IF161-04796 | | Also Available In White (IF161-05282) | |
|---|--|---|--|
|  | CABLE TYPE Pet Containment Wire | SPECIFICATIONS Wire Gauge 16 AWG Conductor Solid Bare Copper # of Conductors 1 Jacket Material LDPE Jacket Color Black or White Jacket Thickness 0.045 in. Reel Size 10.5 in. (dia.) x 6 in. (H) Available Length 1,000 ft. | |
| | PACKAGING Plastic Reel | | |
| | COMPLIANCE  | | |
| | | | |
| | | | |
| | |  | |




| IF161-04385 | | | |
|---|----------------------|-----------------------------|---|
|  | CABLE TYPE | SPECIFICATIONS | |
| | Pet Containment Wire | Wire Gauge | 16 AWG |
| | PACKAGING | Conductor | Solid Bare Copper |
| | | Plastic Reel | # of Conductors |
| | COMPLIANCE | Jacket Material | LDPE |
|  | Jacket Color | Black | |
| | Jacket Thickness | 0.045 in. | |
| | Reel Size | 10.5 in. (dia.) x 4 in. (H) | |
| | Available Length | 500 ft. | |
| | | |  |




| IF181-04069 | | | |
|---|--|---|-------------------|
|  | CABLE TYPE | SPECIFICATIONS | |
| | Pet Containment Wire | Wire Gauge | 18 AWG |
| | PACKAGING | Conductor | Solid Bare Copper |
| | | Paper Reel | # of Conductors |
| | COMPLIANCE  | Jacket Material | LDPE |
| Jacket Color | | Black | |
| Jacket Thickness | | 1.32 in. | |
| Reel Size | | 5.5 in. (dia.) x 2.5 in. (H) | |
| Available Length | | 100 ft. | |
| | |  | |




Twisted Wire




| IF162-04472 | | Also Available in Black (IF162-04703) and Brown (IF162-04704) | |
|---|--|---|--|
|  | CABLE TYPE Pet Containment Wire | SPECIFICATIONS Wire Gauge 16 AWG Conductor Stranded Bare Copper # of Conductors 2 (twisted) Jacket Material LDPE Jacket Color White, Black or Brown Jacket Thickness 0.03 in. Reel Size 12 in. (dia.) x 8.375 in. (H) Available Length 500 ft. | |
| | PACKAGING Plastic Reel | | |
| | COMPLIANCE  | | |
| | | | |
| | | | |
| | |  | |

| IF182-03663 | | | |
|---|--|---|--|
|  | CABLE TYPE Pet Containment Wire | SPECIFICATIONS Wire Gauge18 AWG ConductorSolid Bare Copper # of Conductors1 Jacket MaterialLDPE Jacket ColorWhite Jacket Thickness0.045 in. Reel Size10.5 in. (dia.) x 6 in. (H) Available Length500 ft. | |
| | PACKAGING Plastic Reel | | |
| | COMPLIANCE  | | |
| | | | |
|  | | | |



| IF182-04070 | | | |
|---|--|-----------------------------|-------------------|
|  | CABLE TYPE | SPECIFICATIONS | |
| | Pet Containment Wire | Wire Gauge | 18 AWG |
| | PACKAGING | Conductor | Solid Bare Copper |
| | | Plastic Reel | # of Conductors |
| | COMPLIANCE  | Jacket Material | LDPE |
| Jacket Color | | White | |
| Jacket Thickness | | 1.32 mm | |
| Reel Size | | 10.5 in. (dia.) x 8 in. (H) | |
| Available Length | | 500 ft. | |
|  | | | |

| IF182-04384 | | | |
|---|----------------------|---------------------------------|---|
|  | CABLE TYPE | SPECIFICATIONS | |
| | Pet Containment Wire | Wire Gauge | 18 AWG |
| | PACKAGING | Conductor | Solid Bare Copper |
| | Paper Reel | # of Conductors | 2 (twisted) |
| | COMPLIANCE | Jacket Material | LDPE |
|  | Jacket Color | Black |  |
| | Jacket Thickness | 0.045 in. | |
| | Reel Size | 5.75 in. (dia.) x 3.375 in. (H) | |
| | Available Length | 100 ft. | |

| IF162-11460 | | | |
|---|----------------------|-------------------------------|---|
|  | CABLE TYPE | SPECIFICATIONS | |
| | Pet Containment Wire | Wire Gauge | 16 AWG |
| | PACKAGING | Conductor | Stranded Bare Copper |
| | Plastic Reel | # of Conductors | 2 (twisted) |
| | COMPLIANCE | Jacket Material | LDPE |
|  | Jacket Color | Brown / Black |  |
| | Jacket Thickness | 0.03 in. | |
| | Reel Size | 12 in. (dia.) x 8.375 in. (H) | |
| | Available Length | 500 ft. | |

| IF182-11461 | | | | |
|---|--|--|-------------------|--|
|  | CABLE TYPE Pet Containment Wire | SPECIFICATIONS | | |
| | PACKAGING Plastic Reel | Wire Gauge | 18 AWG | |
| | COMPLIANCE  | Conductor | Solid Bare Copper | |
| | | # of Conductors | 2 (twisted) | |
| Jacket Material | | LDPE | | |
| Jacket Color | | Brown / Black | | |
| | Jacket Thickness | 0.045 in. | | |
| | Reel Size | 10.5 in. (dia.) x 6 in. (H) | | |
| | Available Length | 500 ft. | | |
| | |  | | |

Accessories

| IFGFC-04732 | | |
|--|-----------------------|--------------------------------------|
|  | ACCSY. TYPE | SPECIFICATIONS |
| | Gel-Filled Connectors | Accommodates 14-18 AWG Wire |
| | PACKAGING | Tube Contains Moisture Resistant Gel |
| | Polybag | Qty. of Connectors 100 |
| COMPLIANCE  | Qty. of Wire Nuts 100 | |
| | Product Color | Orange |
| | | |



Vericom Global Solutions

10025 Investment Drive, Suite 120
Knoxville, TN 37932
if.vericomsolutions.com
865.671.4455

CTINV-04523



Although Vericom makes every reasonable effort to ensure their accuracy at the time of this publication, information, images and specifications herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.