


**Double Vertical Finger Duct Cable Manager** 



#### **Ordering Information**

#### **Description**

The Double Finger Duct Cable Manager provides the extra capacity required for high density rack installations. The molded plastic fingers feature smooth, rounded edges that won't snag or bind cables, while the split hinged covers provide easy access for routing and organizing cables.

# Product Specifications Product Type: Vertical Finger Duct Cable Manager Base Material: Steel

Finger Duct Material: Plastic

No. of Removable Covers: 4

Cover Material: Steel

Dimensions (HxWxD): See Chart Below

Rack Unit Quantity: See Chart Below

Cable Capacity: See Chart Below

Cable Pass-Through Openings: Yes


Mounting Hardware: Included

Quantity Per Package: 1 (Sold Individually)

ltem #	Rack Units	Dimensions (HxWxD)	Cable Capacity (Based on a 50% Fill Rate)			
			Fiber	CAT5e	CAT6	CAT6A
RAMVF42D	42U	70.0" x 3.8" x 9.5"	986	384	246	132
RAMVF426D	42U	70.0" x 6.0" x 9.5"	2,016	786	504	270
RAMVF428D	42U	70.0" x 8.0" x 9.5"	2,702	1,054	676	360
RAMVF45D	45U	73.5" x 3.8" x 9.5"	986	384	246	132
RAMVF456D	45U	73.5" x 6.0" x 9.5"	2,016	786	504	270
RAMVF458D	45U	73.5" x 8.0" x 9.5"	2,702	1,054	676	360
RAMVF48D	48U	80.5" x 3.8" x 9.5"	986	384	246	132
RAMVF486D	48U	80.5" x 6.0" x 9.5"	2,016	786	504	270
RAMVF488D	48U	80.5" x 8.0" x 9.5"	2,702	1,054	676	360
RAMVF52D	52U	87.5" x 3.8" x 9.5"	986	384	246	132
TECHNICAL SHEETS ARE SUBJECT TO CHANGE WITHOUT NOTICE.				REV.20250110.2		

# **VERICOM**°

## **Double Vertical Finger Duct Cable Manager**




© 2025 Vericom Global Solutions info@vericomsolutions.com • vericomsolutions.com

# **VERICOM**°

### **Double Vertical Finger Duct Cable Manager**

### Technical Drawing- 2D Top View



© 2025 Vericom Global Solutions info@vericomsolutions.com • vericomsolutions.com



**Double Vertical Finger Duct Cable Manager** 

Product In-Use Views 1 & 2



TECHNICAL SHEETS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

REV.20250110.2

© 2025 Vericom Global Solutions info@vericomsolutions.com • vericomsolutions.com