RACK & CABINET SYSTEMS



AV Cabinets (Cabinet Only)



Description

Available in 15U, Vericom[®] AV Cabinets are designed for flexibility and security, making them a great choice for a multitude of audio and video applications. Features include a stylish glass front door, removable side and rear panels, vented top and bottom panels, and casters and leveling feet to provide both maximum mobility and sturdy placement.

The VV1 Series is a cabinet only solution, allowing the end user to add the accessories and equipment required for their specific project (accessories sold separately).

Benefits

Equipment Protection

- Welded frame of heavy gauge cold-rolled steel
- Locking front door & rear access panel limit unwanted access to equipment

Flexibility

- VV1 Series is a cabinet only solution without pre-installed accessories
- Accommodates most any audio/video equipment configurations
- Includes both casters & adjustable leveling feet for both fixed & mobile installations
- Front door, side & rear panels are all removable for convenient access to equipment
- Vented top & bottom panels provide free air cooling, and are compatible with an optional fan unit when additional cooling is needed
- Multiple AV Cabinet accessory options available to modify cabinet to project specifications (sold separately)

Key Features

- Two [2] pair of heavy-duty, EIA-compliant 19" mounting rails, complete with 10-32 tapped holes and RU markings
- Removable, reversible, and lockable tempered-glass front door which opens a full 180°
- Cable entry slots with removable covers on top, back and bottom
- Top panel includes a provision for two [2] optional double fan units (maximum of four [4] total fans)


TECHNICAL SHEETS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

REV.20250115.3



AV Cabinets (Cabinet Only)







Mounting rails, complete with 10-32 tapped holes and easy to read RU markings

Product Specifications

Product Type: AV Cabinet

Frame Material: Heavy Gauge Cold Rolled Steel

Finish: Black Powder Coat

Dimensions (HxWxD): 30.75" x 23.6" x 23.6"

Rack Unit Quantity: 15U

Front Door: Removable, Reversible & Lockable Tempered Glass, Opens Full 180°

Side Panels: Solid, Full Height, Removable

Top Panel: (1) Solid Knockout, (1) Vented Knockout, (1) Removable Cable Entry Slot [NOTE: Removing The Solid Knockout & The Vented Knockout Allows For The Possibility Of (2) Optional Double Fan Units]

Bottom Panel: (1) Solid Knockout, (1) Vented Knockout,

(1) Removable Cable Entry Slot [NOTE: Removing The Solid Knockout & The Vented Knockout Allows For The Possibility Of (2) Optional Double Fan Units]

Rear Panel: (1) ³⁄₄ Height Solid Removable Panel, (1) ¹⁄₄ Height Removable Cable Knockout

Equipment Support: Two Pairs Of Mounting Rails, Adjustable Depth Rails (16.25" - 22"); 1.75" RU Spacing, Marked & Numbered On Rails; 19" W, EIA-310-D Universal Vertical Hole Spacing; 10-32 Threaded Holes

Grounding: 14 AWG Ground Wire Connects Door To Cabinet Frame

Static Loading Capacity: 15U = 500 lbs

Included Accessories: (4) Adjustable Leveling Feet, (4) Casters, (1) Grounding Kit, (16) 10-32 Mounting Screws

Compliance & Standards: RoHS, ANSI/EIA RS-310D, IEC60297-2, DIN41194; Part 1, DIN41494; Part 7

TECHNICAL SHEETS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

REV.20250115.3

RACK & CABINET SYSTEMS










AV Cabinets (Cabinet Only)


Item Number




Technical Drawing



TOP VIEW



SIDE VIEW



FRONT VIEW

TECHNICAL SHEETS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

REV.20250115.3