




CAT5e/CAT6 RJ45 Clear Connectors



Features & Benefits

- Suitable for CAT6 and CAT5e unshielded installations
- High-impact clear polycarbonate plugs
- Gold Plated Contacts
- Conductors can be pushed through the plug to easily identify wiring configuration is correct before termination
- Ensure cable jacket can be inserted into the strain relief tab by untwisting conductors all the way to jacket
- Terminates 23-26 AWG stranded or solid conductors
- Plug works with a wide variety of cable styles allowing insulated conductor OD ranges from 0.037" - 0.042" (0.94 - 1.07mm)
- Packaging: Bag of 100

Applications

These Category 6 RJ45 connectors are used for crimping and terminating Gigabit Ethernet Cables. This plug is suitable for use with unshielded Category 6 and 5e cable.

Description / Specifications

These RJ45 unshielded connectors are composed of a polycarbonate material body, with gold plated contacts, and are suitable for use with Category 6 and 5e 23 - 26 AWG solid and stranded conductors. These connectors are available in a bag of 100.

Pair with our modular plug tool (Item # WTRJC-12795) for simple, quick and easy repeatable terminations.



Ordering Information

Description	
Category 5e/6 RJ45 Clear Connectors	
Item Number	Packaging
WRJ45-12794	Bulk (100 Per Bag)

Construction

Body Material: Polycarbonate

Contact Material: Gold Plated Brass

Mechanical


Wire Compatibility: 23 - 26 AWG Solid or Stranded

Insulation Resistance: Min 1000 megaohms

Standing Voltage: 1000V AC/ minute

Mating Life Cycle: Min 1000 cycles

Technical Illustration



TECHNICAL SHEETS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

REV.20250106.3